







GFCI & OVERLOAD DIN-RAIL MOUNT CIRCUIT BREAKERS
RCCB 240 VOLT 50Hz CIRCUIT BREAKERS
RCCB / RCBO COMBINATION GFCI & OVERLOAD CIRCUIT BREAKERS
MCB OVERLOAD PROTECTION CIRCUIT BREAKERS

E-mail: sales@internationalconfig.com

Web site: www.internationalconfig.com

	Part Number	Amp Rating	Trip Current	Description
 <p>EAM162V</p>	EAM162V	16	10 mA	European / International GFCI, RCCB double pole circuit breakers. GFCI, RCCB circuit breakers only provide GFCI protection. For overload protection use MCB circuit breakers or combination protection RCBO breakers. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 2 Module size. Complies with standards: IEC-EN 61008
	EAM162H	16	30 mA	
	EAM252H	25	30 mA	
	EAM252M	25	100 mA	
	EAM402H	40	30 mA	
	EAM402M	40	100 mA	
 <p>EAD16BH30</p>	EAD06BH30	6	30 mA	European / International GFCI, RCBO, B-curve, single pole circuit breakers. GFCI, RCBO circuit breakers provide GFCI and overload protection. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 1 Module size. Complies with standards: IEC-EN 61009
	EAD10BH30	10	30 mA	
	EAD16BH30	16	30 mA	
	EAD20BH30	20	30 mA	
	EAD25BH30	25	30 mA	
	EAD32BH30	32	30 mA	
	EAD40BH30	40	30 mA	
	EAD45BH30	45	30 mA	
 <p>007879</p>	007879	16	10 mA	European / International GFCI, RCBO, C-curve, single pole plus neutral circuit breakers. GFCI, RCBO circuit breakers provide GFCI and overload protection. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 2 Module size. Complies with standards: IEC 61009-1, IEC 60947-2
	007886	16	30 mA	
	007887	20	30 mA	
	007888	25	30 mA	
	007889	32	30 mA	
	007890	40	30 mA	
 <p>EAD16B</p>	EAD02B	2	--	European / International MCB (minature circuit breakers), B-curve, single pole circuit breakers. MCB circuit breakers provide only overload protection. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 1 Module size. Complies with standards: IEC-EN 60898
	EAD04B	4	--	
	EAD06B	6	--	
	EAD10B	10	--	
	EAD13B	13	--	
	EAD16B	16	--	
	EAD20B	20	--	
	EAD25B	25	--	
	EAD32B	32	--	
	EAD40B	40	--	
	EAD50B	50	--	
	EAD63B	63	--	
 <p>2CU32</p>	2CU16 **	16	--	European / International MCB (minature circuit breakers), C-curve, double pole circuit breakers. MCB circuit breakers provide only overload protection. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 2 Module size. Complies with standards: *IEC-EN 60898-I, VDE 0641-11 **UL 508, CSA 22.2 No. 14
	2CU32 **	32	--	
	2CU40 **	40	--	
	2CU63 **	63	--	
 <p>3CU32</p>	3CU16 **	16	--	European / International MCB (minature circuit breakers), C-curve, three pole circuit breakers. MCB circuit breakers provide only overload protection. DIN rail mount. Box type terminals accepts 1 to 50 mm ² conductors. 3 Module size. Complies with standards: *IEC-EN 60898-I, VDE 0641-11 **UL 508, CSA 22.2 No. 14
	3CU32 *	32	--	
	3CU63 *	63	--	

