

Locking IEC 60320 Multiple Outlet Power Strips

Surface Mount, Horizontal & Vertical Rack Mount IEC 60320 Power Strips with Locking C-13 and Locking C-19 Receptacles

62100-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 4 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62100-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62100-LK DIMENSIONAL DATA SHEET](#)

62150-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 6 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62150-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62150-LK DIMENSIONAL DATA SHEET](#)

62200-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 8 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62200-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62200-LK DIMENSIONAL DATA SHEET](#)

62250-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 4 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, R.F. FILTER, SURGE PROTECTION (140 JOULES), ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING, IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62250-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62250-LK DIMENSIONAL DATA SHEET](#)

62300-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 6 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, R.F. FILTER, SURGE PROTECTION (140 JOULES), ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62300-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62300-LK DIMENSIONAL DATA SHEET](#)

62350-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 8 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, R.F. FILTER, SURGE PROTECTION (140 JOULES), ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 62350-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62350-LK DIMENSIONAL DATA SHEET](#)

60450-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14 PDU POWER STRIP, 8 LOCKING C-13 POWER OUTLETS , 10 AMPERE 230 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, R.F. FILTER, SURGE PROTECTION (140 JOULES), ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-14 POWER INLET, GRAY.

- [VIEW POWER STRIP 60450-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 60450-LK DIMENSIONAL DATA SHEET](#)

61450-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14, 10 AMPERE 230 VOLT PDU POWERSTRIP, 8 LOCKING C-13 POWER OUTLETS , "19" IN. HORIZONTAL RACK MOUNT, METAL ENCLOSURE, ILLUMINATED 10 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), 2.0 METER (6FT.-7IN.) CORD WITH C-14 PLUG, GRAY.

- [VIEW POWER STRIP 61450-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 61450-LK DIMENSIONAL DATA SHEET](#)

62150-LKV




C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14, 10A-250V PDU POWER STRIP, 6 LOCKING C-13 POWER OUTLETS , IEC 60320 C-14 POWER INLET, "19 IN." VERTICAL RACK OR SURFACE MOUNT, (1U) METAL ENCLOSURE, 10 AMP. DOUBLE POLE CIRCUIT BREAKER, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 62150-LKV FOR ADDITIONAL INFORMATION](#)
- [VIEW 62150-LKV DIMENSIONAL DATA SHEET](#)

BULLETIN 612019



© 2019 International Configurations, Inc. Entire contents of this catalog copyrighted. www.InternationalConfig.com

International Configurations, Inc. • P.O. Box 3374 • Enfield, Connecticut 06083 • TEL (860) 749-6380 • FAX (860) 749-2985

Locking IEC 60320 Multiple Outlet Power Strips

Surface Mount, Horizontal & Vertical Rack Mount IEC 60320 Power Strips with Locking C-13 and Locking C-19 Receptacles

62150-LKH



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14, 10A-250V PDU POWER STRIP, 6 LOCKING C-13 POWER OUTLETS, IEC 60320 C-14 POWER INLET, "19 IN." HORIZONTAL RACK MOUNT, (1U) METAL ENCLOSURE, 10 AMP. DOUBLE POLE CIRCUIT BREAKER, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 62150-LKH FOR ADDITIONAL INFORMATION](#)
- [VIEW 62150-LKH DIMENSIONAL DATA SHEET](#)

60460-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14, 10A-250V PDU POWER STRIP, 9 LOCKING C-13 POWER OUTLETS, C-14 POWER PLUG WITH 3M (9FT-9IN) CORD, "19 IN." VERTICAL RACK OR SURFACE MOUNT, (1U) METAL ENCLOSURE, ON/OFF DOUBLE POLE ILLUMINATED SWITCH, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 60460-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 60460-LK DIMENSIONAL DATA SHEET](#)

61460-LK



C-13 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-13 C-14, 10A-250V PDU POWER STRIP, 9 LOCKING C-13 POWER OUTLETS, C-14 POWER PLUG WITH 3M (9FT-9IN) CORD, "19 IN." HORIZONTAL RACK MOUNT, (1U) METAL ENCLOSURE, ON/OFF DOUBLE POLE ILLUMINATED SWITCH, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 61460-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 61460-LK DIMENSIONAL DATA SHEET](#)

60550-LK



C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-19 C-20, 15 AMPERE 240 VOLT PDU POWERSTRIP, 8 LOCKING C-19 POWER OUTLETS, "19" IN. VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, ILLUMINATED 15 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), 2.0 METER (6FT.-7IN.) CORD WITH C-20 PLUG, GRAY.

- [VIEW POWER STRIP 60550-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 60550-LK DIMENSIONAL DATA SHEET](#)

61550-LK



C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-19 C-20, 15 AMPERE 240 VOLT PDU POWERSTRIP, 8 LOCKING C-19 POWER OUTLETS, "19" IN. HORIZONTAL RACK MOUNT, METAL ENCLOSURE, ILLUMINATED 15 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), 2.0 METER (6FT.-7IN.) CORD WITH C-20 PLUG, GRAY.

- [VIEW POWER STRIP 61550-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 61550-LK DIMENSIONAL DATA SHEET](#)

62400-LK



C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-19 C-20 PDU POWER STRIP, 8 LOCKING C-19 POWER OUTLETS, 15 AMPERE 240 VOLT, VERTICAL RACK / SURFACE MOUNT, METAL ENCLOSURE, ILLUMINATED 15 AMPERE DOUBLE POLE CIRCUIT BREAKER, 2 POLE-3 WIRE GROUNDING (2P+E), IEC 60320 C-20 POWER INLET, GRAY.

- [VIEW POWER STRIP 62400-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 62400-LK DIMENSIONAL DATA SHEET](#)

62400-LKV



C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-19 C-20, 16A-250V PDU POWER STRIP, 6 LOCKING C-19 POWER OUTLETS, IEC 60320 C-20 POWER INLET, "19 IN." VERTICAL RACK OR SURFACE MOUNT, (1U) METAL ENCLOSURE, 16 AMP. DOUBLE POLE CIRCUIT BREAKER, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 62400-LKV FOR ADDITIONAL INFORMATION](#)
- [VIEW 62400-LKV DIMENSIONAL DATA SHEET](#)

62400-LKH



C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C-19 C-20, 16A-250V PDU POWER STRIP, 6 LOCKING C-19 POWER OUTLETS, IEC 60320 C-20 POWER INLET, "19 IN." HORIZONTAL RACK MOUNT, (1U) METAL ENCLOSURE, 16 AMP. DOUBLE POLE CIRCUIT BREAKER, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 62400-LKH FOR ADDITIONAL INFORMATION](#)
- [VIEW 62400-LKH DIMENSIONAL DATA SHEET](#)

60556-LK




C-19 Locking Receptacle
Detailed View

LOCKING IEC 60320 C19, C20, 16A-250V, 6 OUTLET PDU POWER STRIP, 6 LOCKING C-19 POWER OUTLETS, C-20 POWER PLUG WITH 3M (9FT-9IN) CORD, "19 IN." VERTICAL RACK OR SURFACE MOUNT, (1U) METAL ENCLOSURE, ON/OFF DOUBLE POLE ILLUMINATED SWITCH, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 60556-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 60556-LK DIMENSIONAL DATA SHEET](#)

BULLETIN 612019



© 2019 International Configurations, Inc. Entire contents of this catalog copyrighted. www.InternationalConfig.com

International Configurations, Inc. • P.O. Box 3374 • Enfield, Connecticut 06083 • TEL (860) 749-6380 • FAX (860) 749-2985

Locking IEC 60320 Multiple Outlet Power Strips

Surface Mount, Horizontal & Vertical Rack Mount IEC 60320 Power Strips with Locking C-13 and Locking C-19 Receptacles

61556-LK




LOCKING IEC 60320 C19, C20, 16A-250V, 6 OUTLET PDU POWER STRIP, 6 LOCKING C-19 POWER OUTLETS, C-20 POWER PLUG WITH 3M (9FT-9IN) CORD, "19 IN." HORIZONTAL RACK MOUNT, (1U) METAL ENCLOSURE, ON/OFF DOUBLE POLE ILLUMINATED SWITCH, 2 POLE 3 WIRE GROUNDING (2P+E). BLACK.

- [VIEW POWER STRIP 61556-LK FOR ADDITIONAL INFORMATION](#)
- [VIEW 61556-LK DIMENSIONAL DATA SHEET](#)

POWER CORDS

SELECT IEC 60320 CORD SETS WITH STANDARD OR LOCKING C-13, C-19 CONNECTORS.
USE POWER CORD SELECTOR BUTTONS, BOTTOM OF PAGE, TO VIEW MORE POWER CORD OPTIONS.

C-14 TO C-13




10 AMP: 98216

15 AMP: 98625

* Various Power Cord Lengths Available

C-14 TO **LOCKING** C-13




10 AMP: **98226-LK**

15 AMP: **98625-LK6**

* Various Power Cord Lengths Available


C-14 TO C-19



15 AMP: 30700X2M

* Various Power Cord Lengths Available


C-14 TO **LOCKING** C-19



15 AMP: **30700-LK6**

* Various Power Cord Lengths Available

C-20 TO C-19




15 AMP: 90530

20 AMP: 90521

* Various Power Cord Lengths Available


C-20 TO **LOCKING** C-19



15/16 AMP: **90545-LK**

* Various Power Cord Lengths Available


C-20 TO C-13



15 AMP: 31720X2M

* Various Power Cord Lengths Available


C-20 TO **LOCKING** C-13



15 AMP: **31720-LK12**

* Various Power Cord Lengths Available


C-14 TO C-15



15 AMP: 98715X6FT

* Various Power Cord Lengths Available


C-14 TO C-5



10 AMP: 90035

* Various Power Cord Lengths Available

C-14 TO (2) C-13




10 AMP: 98226-Y

15 AMP: 98625-Y

* Various Power Cord Lengths Available

C-18 TO C-7



2.5 AMP: 90055

* Various Power Cord Lengths Available

IEC 60320 CORDS

POWER CORD
SELECTOR

INTERNATIONAL CORDS

POWER CORD
SELECTOR


USA, N. AMERICA CORDS

POWER CORD
SELECTOR

IEC 60309 CORDS

POWER CORD
SELECTOR

BULLETIN 612019



© 2019 International Configurations, Inc. Entire contents of this catalog copyrighted. www.InternationalConfig.com

International Configurations, Inc. • P.O. Box 3374 • Enfield, Connecticut 06083 • TEL (860) 749-6380 • FAX (860) 749-2985